H1763

# 0057853

Lionville Laboratory, Inc. VOA ANALYTICAL DATA PACKAGE FOR TNU-HANFORD B02-054, H 1763

			~~~~6181
rfw	LOT	#	:02051562

CLIENT ID	RFW	#	MTX	PREP #	COLLECTN	DATE REC	EXT/PREP	ANALYSIS
B14DN9	001				- · ·	05/03/02	•	05/07/02
B14DN9 B14DN9	001 001	MSD	W			05/03/02 05/03/02	•	05/07/02 05/07/02
LAB QC:								
VBLKVH VBLKVH	MB1 MB1	BS	M	02LVG108 02LVG108	N/A N/A	N/A N/A	N/A N/A	05/07/02 05/07/02





Client: TNU-HANFORD B02-054

LVL #: 0205L562

SDG/SAF #: H1763/B02-054

W.O. #: 11343-606-001-9999-00 Date Received: 05-03-2002

# **GC/MS VOLATILE**

One (1) water sample was collected on 04-25-2002.

The sample and its associated QC samples were analyzed according to criteria set forth in Lionville Laboratory OPs based on SW 846 Method 8260B for client specified volatile target compounds on 05-07-2002.

The following is a summary of the QC results accompanying these sample results and a description of any problems encountered during their analyses:

- 1. All results presented in this report are derived from samples that met LvLI's sample acceptance policy.
- 2. The required analysis holding time was met.
- 3. A non-target compound was detected in B14DN9.
- 4. All surrogate recoveries were within EPA QC limits.
- 5. All matrix spike recoveries were within EPA QC limits.
- 6. All blank spike recoveries were within EPA QC limits.
- 7. The method blank contained the common laboratory contaminants Methylene Chloride and Acetone at levels less than 3x the CRQL.
- 8. Internal standard area and retention time criteria were met.
- 9. A spectral search was performed for the compounds Tetrahydrofuran; however, this compound was not detected in the sample.
- 10. "I certify that this sample data package is in compliance with SOW requirements, both technically and for completeness, other than the conditions detailed above. Release of the data contained in this hard-copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature."

<u>05-23-22</u> Date

J. Michael Taylor

President

Lionville Laboratory Incorporated

som\group\data\voe\tnu-hanford\0205-562.doc

The results presented in this report relate only to the analytical testing and conditions of the samples at receipt and during storage. All pages of this report are integral parts of the analytical data. Therefore, this report should only be reproduced in its entirety of 1 2 pages.

02.

#### GLOSSARY OF VOA DATA

# DATA QUALIFIERS

- U = Compound was analyzed for but not detected. The associated numerical value is the estimated sample quantitation limit which is included and corrected for dilution and percent moisture.
- Indicates an estimated value. This flag is used under the following circumstances: 1) when estimating a concentration for tentatively identified compounds (TICs) where a 1:1 response is assumed; or 2) when the mass spectral data indicate the presence of a compound that meets the identification criteria but the result is less than the specified detection limit but greater than zero. For example, if the limit of detection is 10 ug/L and a concentration of 3 ug/L is calculated, it is reported as 3J.
- B = This flag is used when the analyte is found in the associated blank as well as in the sample. It indicates possible/probable blank contamination. This flag is also used for a TIC as well as for a positively identified TCL compound.
- E = Indicates that the compound was detected beyond the calibration range and was subsequently analyzed at a dilution.
- D = Identifies all compounds identified in an analysis at a secondary dilution factor.
- 1 me Interference.
- NO = Result qualitatively confirmed but not able to quantify.
- Indicates presumptive evidence of a compound. This flag is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It is applied to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the N code is not used.
- This flag is used for a TIC compound which is quantified relative to a response factor generated from a daily calibration standard (rather than quantified relative to the closest internal standard).
- Y = Additional qualifiers used as required are explained in the case narrative.



#### GLOSSARY OF VOA DATA

# **ABBREVIATIONS**

BS	=	Indicates blank spike in which reagent grade water is spiked with the CLP matrix spike solutions and carried through all the steps in the method. Spike recoveries are reported.
BSD	<b>=</b>	Indicates blank spike duplicate.
MS	**	Indicates matrix spike.
MSD	=	Indicates matrix spike duplicate.
DL	-	Suffix added to sample number to indicate that results are from a diluted analysis.
NA	=	Not Applicable.
DF	=	Dilution Factor.
NR	=	Not Required.

Indicates Spiked Compound.



#### TECHNICAL FLAGS FOR MANUAL INTEGRATION

Manual quantitation modifications or integrations are performed routinely to improve the data quality for a variety of technical reasons. Documentation of these modifications should be clear and concise. The following "flags" are used to indicate the technical reasons for quantitation modifications:

- MP Missed Peak: manually added peak not found by automatic quantitation program.
- PA Peak Assignment: quantitation report was changed to reflect correct peak assignment.
- RI Routine Integration: routine integrations are performed for some analytes that are consistently integrated improperly by the automatic integration programs. Examples are the dichlorobenzene isomers on the VOA packed column and benzo(b)fluoranthene/benzo(k)fluoranthene which are poorly resolved on the BNA column.
- SP Split Peak: the automatic integration improperly split the peak; a manual integration was performed to get the correct area.
- CB Coelution/Background: peak was manually integrated to eliminate contribution from coeluting compounds, background signal, or other interference.
- PI Proper Integration: a peak with poor or inconsistent integration (e.g., excessive tail) was properly integrated manually.



L-W]-035/a-mi-10/00

Lionville Laboratory, Inc.

Volatiles by GC/MS, Appendix IX List

Report Date: 05/20/02 15:00

Client: TNUHANFORD B02-054 H1763 Work Order: 11343606001 Page: 1a RFW Batch Number: 0205L562 VBLKVH BS B14DN9 B14DN9 VBLKVH **B14DN9** Cust ID: 001 MSD 02LVG108-MB1 02LVG108-MB1 RFW#: 001 001 MS Sample

RFW#: Matrix: D.F.: Units:	· ·	0	WATER 1.0	0		0	WATER	0	WATER 1.0		
Toluene-d8	97	8	96	8	97	용	102	*	93	8	
ofluorobenzene	99	ક્ષ	99			_		-			
hloroethane-d4	93	8	102							-	=======f1
	======= 10		10	 	10	U	10	Ū	10	Ū	<del></del>
	10	บ	10	υ	10	Ū	10	U	10	U	
	5	Ū	5	υ	5	U	5	Ū	5	U	
	10	U	10	U	10	U	10	U	10	U	
A-811-1-	5	Ū	5	U	5	U	11		2	JB	
	10	σ	10	U	10	U	2	J	10	U	
	5	U	5	U	5	U	5	U	5	U	
	5	U	80	*	81	*	5	U	80	ક	
	5	U	5	U	5	Ū	5	U	5	U	
(total)	5	U	5	U	5	U	5	U	5	U	
	5	Ū	5	Ū	5	U	5	Ŭ	5	U	
		U	5	U	5	U	5	U	5	U	
	10	Ü	10	U	10	U	10	U	10	Ū	
ane	5	U	5	U	5	U	5	U	5	Ū	
le	3	υ	3	U	3	U	3	U	3	U	
ne	5	U	5	U	5	U	5	U	5	U	
2	5	U	5	U	5	υ	5	Ü	5	Ü	
opene	5	U	5	U	5	U	5	U	5	U	
	5	U	95	ક	95	ક્ર	5	U	93	૪	
ne	5	U	5	U	5	Ū	5	U	5	U	
ane	5	U	5	U	5	Ų.	5	U	5	U	
	5	U	96	ક	96	왐	5	U	92	ક	
propene	5	U	5	U	5	U	5	Ü	5	Ü	
		U	5	U	5	U	5	U	5	U	
		U	10	Ū	10	Ū	10	U	10	U	
	10	U	10	U	10	U	10	U	10	U	
	5	U	5	U	5	U	5	U	5	U	
oethane	5	U	5	Ü	5	U	5	Ü	5	U	
	5	U	100	%	100	e e	5	U	95	%	
	Matrix:     D.F.:     Units:  Toluene-d8 cofluorobenzene chloroethane-d4 companie  (total)  ine compene compen	Matrix: WATER D.F.: 1.0 Units: ug/L  Toluene-d8 97 Dofluorobenzene 99 Phloroethane-d4 93	Matrix: WATER D.F.: 1.00 Units: ug/L  Toluene-d8 97 % softworobenzene 99 % shloroethane-d4 93 % second 10 U	Matrix: WATER Ug/L ug/L  D.F.: 1.00 1.0 Units: ug/L ug/L  Toluene-d8 97 % 96 offluorobenzene 99 % 99 chloroethane-d4 93 % 102  10 U 10 10 U 10 5 U 5 10 U 10 5 U 5 10 U 10 5 U 5 10 U 5 10 U 10 5 U 5 10 U 5 10 U 10 5 U 5 10 U 10 U 10 10 U 10 U 10 10 U 10 U 10 10 U 10 U	Matrix: WATER	Matrix:         WATER         WATER         WATER         Units:         Ug/L         Ug/L	Matrix: WATER	Matrix:         WATER         WATER         WATER         WATER         WATER         Units:         Ug/L         Ug/L	Matrix: WATER	Matrix: NATER NATER WATER WATER Ug/L Ug/L Ug/L Ug/L Ug/L Ug/L Ug/L Ug/L	Matrix: Water   Water   Water   Water   D.F.: 1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.00   1.0

RFW Batch Number: 0205L	562 Cli	ent: TNU	LANFOR	ED B02-054	H176	3 Work (	rde	r: 11343606	001	Page: 1b	2	1
	Cust ID:	B14DN9	)	B14DN9	)	B14DN9	•	VBLKVH		VBLKVH BS		
	RFW#:	001	L	001 MS	3	001 MSI	)	02LVG108-M	B1	02LVG108-M	B1	
Chlorobenzene		5	Ū	100	ł	99	¥	5	U	95	ક	
Ethylbenzene		5	U	5	U	5	Ū	5	Ū	5	U	
Styrene		5	U	5	U	5	U	5	U	5	U	
Xylene (total)		5	U	5	U	5	Ü	5	U	5	U	
Trichlorofluoromethane		5	U	5	U	5	Ü	5	U	5	Ü	
Cyclohexanone		50	U	50	U	50	U	50	U	50	U	
1,2,4-Trimethylbenzene		5	U	5	Ū	5	υ	5	U	5	U	

<sup>\*=</sup> Outside of EPA CLP QC limits.

1E

EPA SAMPLE NO.

### VOLATILE ORGANICS ANALYSIS SHEET TENTATIVELY IDENTIFIED COMPOUNDS

- 1		ı
	B14DN9	i
		į
1		Į

Lab Name: Lionville Labs, Inc. Contract:	11343606001
Lab Code: <u>Lionvi</u> Case No.:	SAS No.: SDG No.:
Matrix: (soil/water) <u>WATER</u>	Lab Sample ID: 0205L562-001
Sample wt/vol: 5.00 (g/mL) ML	Lab File ID: q050710
Level: (low/med) <u>LOW</u>	Date Received: 05/03/02
% Moisture: not dec	Date Analyzed: 05/07/02
Column: (pack/cap) <u>CAP</u>	Dilution Factor: 1.00
	CONCENTRATION UNITS: (ug/L or ug/Kg) <u>ug/L</u>

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
				=====
1.	SILOXANE	19.648	5	J
<u> </u>				ii

#### 1E

### VOLATILE ORGANICS ANALYSIS SHEET TENTATIVELY IDENTIFIED COMPOUNDS

EPA	SAMPLE	NO.
-----	--------	-----

	VBLKVH
Lab Name: <u>Lionville Labs, Inc.</u> Contract: <u>11343</u>	· · · · · · · · · · · · · · · · · · ·
Lab Code: <u>Lionvi</u> Case No.:	SAS No.: SDG No.:
Matrix: (soil/water) <u>WATER</u>	Lab Sample ID: 02LVG108-MB1
Sample wt/vol: _5.00 (g/mL) ML	Lab File ID: <u>9050706</u>
Level: (low/med) <u>LOW</u>	Date Received: 05/07/02
% Moisture: not dec	Date Analyzed: 05/07/02
Column: (pack/cap) <u>CAP</u>	Dilution Factor: 1.00
	NTRATION UNITS: or ug/Kg) <u>ug/L</u>
CAS NUMBER COMPOUND NAME	RT EST, CONC. O

Lionville	Laboratory	Use	Only

# Custody Transfer Record/Lab Work Request Page of

Ü	VLI	0
	A SECTION A COLUMN TO A SECURITION OF THE PARTY OF THE PA	

0205(562

FIELD PERSONNEL: COMPLETE ONLY SHADED AREAS

Client ##	ANI	Tous	SAF	# B02	-050	4		Refrige	rator #		1														
Client HANFORD SAF# 1302-054  Est. Final Proj. Sampling Date  Project #						#Type Container Liquid Solid		36					11 July	1474 - 1 167 W					: . :	,					
									4.1	$t_{i_1,\ldots,i_{r-1}}$	21			4	27 g										
Project Contact/Phone #						: 	Volume		Liquid	40		V . P	, R		73	10. 11. 12. 13. 14	Sec. 12	is seek to	A. Carrier	Contraction of the		1			
Lionville Lab					<u> </u>					Solid														e in and	14.5
OC SPEC			_		day	<u> </u>		Preservatives		HEL															
							, , , , ,	ANALY	SES	-	<del> </del>		ANIC		}				RG			j			
Date Rec'd	<u>_S</u>	-3-02	_ Date	Due6-	2-02			REQUE		_	Š	BNA	Pest/ PCB	Herb				Metal	ठ				_		
MATRIX	1			<del></del>	]	Ma	trix		l					Ţ		Lionv	ilie La	borat	ory Us	e Onl		1			,
CODES: S - Soil	Lab ID	Lab   Client ID/Descriptio		/Description	QC Chosen (√)		( <b>587</b> )	Matrix	Date Collected	Time Collected	3										}	}		· · i	
SE - Sediment SO - Solid SL - Studge						MS MSD		4			7290	1 1	1							]					
W - Water O - Oil	001	B141	119			J	7	W.	4.2500	0530	3						 1 1								6 - 44 1 - 4
A - Air DS - Drum								-11			7 3 4 7 3 4 8 7			À		6,87							Ţ		7
Solids DL - Drum Liquids L - EP/TCLP Leachate WI - Wipe X - Other					10					y Mily . Oliga ing	1.7.7					5 3	45.5	) 2011							
							-							Ş., ; ;	3		<b>建筑</b>								
			<del></del>		<del>~}</del>		-				1					5 X 1 X 1	a hi an					1			
			<del></del>				_	7 JA 3. 1. 17	1							140 - Fr		,		-					
F - Fish						-			1									·							
			····						1				1						1						
									<del>                                     </del>		1		<del>                                     </del>							_		<b>†</b>			
									<del> </del>		1			F.J	†				<b> </b>						
Special Instruc	tions:			02-054	<u>-</u>		DATE	REVISIO	NS:	L	<u></u>	<u> </u>	<u> </u>	<u> </u>	1	<u></u>			<u> </u>	Lionvi	lle Lab	oratory	Use O	niv	<u> </u>
		JAF	ъ (3	,					1 2 3 4 5 6									1) Hi A 2) 2) 3) C	amples Shippe and Delphil #	id Jivered  Substitute Int or di  ved in Co ies	Bood or N	1) Pa 2) Pa 3)	Present Chape Unbrok Ackage Present Unbrok ample	(On Ou or en on or con Sa Or or egror	iter N Outer N Imple r N
Relinquished Beceived by Date Time Relinquished by COMP				Received Data Time Discrepancies Between Samples Labels and				5	Property Preserved Or N  5) Received Within Holding Times Or N  COC Record Present Upon Sample Rec't Or N  Cooler Temp. 3.3°C																
		J	7				WA	STE		15 M	4 4 4	774		179	18	29/	26	<del>እ</del> ጋ(	)	•	л IVI	16	л·ф. — <u>.</u>	J	U

Bechtel Hanfor	d Inc.	C	HAIN OF CUST	ODY/S	AMPI	E ANAL	YSIS	<b>REQUES</b>	r ]	В0	2-054-02	Page 1	of 1
Collector R. Fahlberg/R. Nielson			any Contact ne Jacques	ne No. 651			Project Coord: TRENT, SJ	nator	Price Code 7N		Data Turnaround		
Project Designation 216-Z-11 Ditch Borehole QC S	Samples	Sampl 200	ing Location West			=		SAF No. B02-054		Air Qualit	y 🖸	45]	Days
Ice Chest No. 270	96.040	Field I	ogbook No. 1517-		COA B20CW	5674C		Method of Ship Foderal Expre					
Shipped To TMA/ECRA		Offsite	Property No.	220	211	<u> </u>		Bill of Lading	AI- BIJ N	918	291	7-7	27C
	RDS/REMARKS and not originate in all controlled area. No ty associated with	,	Preservation	HCl to pH <2 Cool 4C									
sample/sam Special Handling and/or S	uples.		Type of Container	aGis*									
1000		ļ	No. of Container(s)	3	<u> </u>	<u> </u>			ļ	_	<u> </u>		
000			Volume	40mL			<u> </u>						
	SAMPLE ANALYSIS	5		See item (i) in Special Instructions.									
Sample No.	Matrix *	Sample Date	Sample Time										
B14DN9	WATER (	1250	2 0530	Х									
		<u></u>		<del></del>	<del> </del>		<del> </del> -		<del> </del> -	<del></del>	<del> </del>		
					<del> </del>	_	_			_	<del>                                     </del>	<del>                                     </del>	
CHAIN OF POSSESSION AND AND AND AND AND AND AND AND AND AN	Detertime (700 R Jill 18 413662 Detertime 8 330 R 8 2.02		ed in 1000 D	te Time	300 So	CCIAL INSTR COC comments VOA - 8260A (T Add-On) (Tetralij	on SAF. (CL); VO	A - 8260A (Add-Or	) {Trichlor	omanosl uarameth	ane}; VUA - 82	60А (Арр	Matrix *  3=5oil 35=todiment 50=5oild 5i=Sindge W = Water 0=0il A=Air DS=Drum Solids
Relinquished By/Removed From Relinquished By/Removed From	Date/Time R	sceived By/Stor	ed In Di	ste/Time	30	Personn relingui Ref#1	iel not a ish sami Bon	vailable to ples from the 37	K (	-			DI.=Drum Liquids T=Tinue Wi=Wipe L=Liquid V=Vegetation X=Other
Relinquished By/Removed From  LARORATORY   Received By		Leceived By/Stor	ed In De	ate/Time	itle		<u> </u>						
LABORATORY Received By SECTION		•			ine							Date/Time	
FINAL SAMPLE Disposal Me	ethod					Dispo	sed By				]	Date/Time	

# LIONVILLE LABORATORY INCORPORATED SAMPLE RECEIPT CHECKLIST

CLIENT: HANFORD

Purchase Order/Project:

DATE: 5/3/02

SAF#) SOW# / Release #: B02-054

Laboratory SDG #:

02056562

TE:	ALL ENTRIES MARKED "NO" MUST BE F	EXPLAINED 1	N THE COMM	ENT SECTION	
1.	Custody seals on coolers or shipping container intact, signed and dated?	D.Yes	□ No	□ N/A	see Comment #
2.	Outside of coolers or shipping containers are free from damage?	DY65	□ No	□ N/A	□ see Comment #
3.	Airbill # recorded?	□ yes	□ No	□ N/A	☐ see Comment
4.	All expected paperwork received (coc and other client specific: historical data, alpha/beta or other screening data as applicable)? (paperwork sealed in plastic bag and taped to inside lid)	□√es .	□ No	□ N/A	see Comment
5.	Sample containers are intact?	□ Yes	□ No	□ N/A	☐ see Comment
6.	Custody seals on sample containers intact, signed and dated?	D/16	□ No	□ N/A	□ see Comment
7.	All samples on coc received?	D Yes	□ No	□ N/A	See Comment
8.	All sample label information matches coc?	E Yes	□ No	□ N/A	☐ see Comment
9.	Laboratory QC samples designated on coc? (QC stickers placed on bottles?)	BY ts	□ No	□ N/A	□ see Commen
10.	Shipment meets LvLl Sample Acceptance Policy? (identify all bottles not within policy. See reverse side for policy)	D/s	□ No	□ N/A	.: See Commen
11.	Where applicable, bar code labels are affixed to coc?	□ Yes	□ No	BNA	🖸 see Commen
12.	coc signed and dated?	To Yes	□ No	□ N/A	🗅 see Commen
13.	coc faxed or emailed to client?	□ Yes	□ No	□ N/A	□ see Commer
14.	Project Manager/Client contacted concerning discrepancies? (name/date)	□ Yes	□ No	□ N/A	□ see Commer

Cooler # / temp and Comments:

20,040 3.3

Laboratory Sample Custodian:

Laboratory Project Manager: